

SMC70B

BLUETOOTH®-ENABLED

MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM



SOUND STORM®
L A B O R A T O R I E S

3451 LUNAR COURT, OXNARD CA 93030

PHONE: 888.38.STORM

805.983.8008

FAX: 805.983.7068

TECHNICAL SUPPORT
www.soundstormlab.com



0114



User Manual

SMC70B

BLUETOOTH®-ENABLED

**MOTORCYCLE/UTV SPEAKER AND
AMPLIFIER SYSTEM**

SMC70B Motorcycle/UTV Amplified Speaker System

Congratulations on your purchase of a Sound Storm Laboratories Off-road amplified speaker system. It has been designed, engineered and manufactured to bring you the highest level of performance and quality, and will afford you years of listening pleasure.

Thank you for making Sound Storm Laboratories
your choice for entertainment!



NOTES

[illegible]

SMC70B Motorcycle/UTV Amplified Speaker System

Specifications

Operation Voltage	-----10~16 V
Max Power	-----600 W
THD	-----<0.1%
S/N	----->85 dB
Channel Separation	----->50 dB
Frequency Response	-----80 Hz - 15 KHz
Sensitivity	-----150 mv-1v

SMC70B Motorcycle/UTV Amplified Speaker System

Contents


Amplifier	-----1 PC
High-Performance, Weatherproof Speakers	-----2 PCS
Amplifier Mounting Screws	-----4 PCS
Speaker Mounting Bolts	-----2 PCS
Rubber Mounting Shims	-----12 PCS
Amplifier Gaskets	-----8 PCS
Fuse	-----1 PC
User's manual	-----1 PC

Features:


- RCA & 3.5mm Audio Inputs
- Stainless Steel Brackets
- Weatherproof Volume Control
- High-Impact, High Temp Speaker Enclosures
- Weatherproof Speakers
- Bluetooth Audio Streaming

SMC70B Motorcycle/UTV Amplified Speaker System

Connections



Loudspeaker Mounting Diagram



SMC70B Motorcycle/UTV Amplified Speaker System

Installation

1. Screw the brackets to the bottom of the speakers.
2. Find a safe, ideal mounting location and fit the brackets over the chosen mounting bars.
3. Fasten the mounting screws after you review the safety of the mounting location.

Wiring

1. Be sure to run the wiring securely and far away from any moving components.
2. Connecting the power cable to the power source: You will need to connect the 12V red wire to a (fused 5A) switched power source.
3. Use the 3.5mm stereo jack to connect to your entertainment source(MP3 player, etc).
4. Use your player device and wired remote volume controller to control your level of loudness.

Bluetooth

To pair and connect your Bluetooth device to the SMC70B
Enter Settings > Bluetooth Menu > Search > “SSL ” >
If Prompted to enter a passcode enter : “0000”